



# HSFO 3T223 W UK N

# 12NC/Fx: F161623

# GTIN (EAN) code: 5054645616237

| DIMENSION  | MEASURE               |    |
|--|-----------------------|----|
| <b>OVERALL CABINET</b>   |                       |    |
| 01. Height MIN of the base cabinet Niche, including all required space for installation or ventilation (HMIN_B)          | 0                     | mm |
| 02. Height MAX of the base cabinet Niche, including all required space for installation or ventilation (HMAN_B)          | 0                     | mm |
| 03. Width MIN of the base cabinet Niche, including all required space for installation or ventilation (WMIN_B)           | 0                     | mm |
| 04. Width MAX of the base cabinet Niche, including all required space for installation or ventilation (WMAN_B)           | 0                     | mm |
| 05. Depth of the base cabinet Niche, including all required space for installation or ventilation (DN_B)                 | 0                     | mm |
| 06. Indicates whether a ventilation opening is needed or not. Default is "N"   | No                    |    |
| 07. appliance can be used as base for other appliances from the same manufacturer. Default is "N"                        | No                    |    |
| <b>Built In - Floor Standing</b>   |                       |    |
| 08. Height MIN Decorative Front (HMIF)   | 0                     | mm |
| 09. Height MAX Decorative Front (HMAF)   | 0                     | mm |
| 10. Width MIN Decorative Front (WMIF)  | 0                     | mm |
| 11. Weight MAX of the decorative bottom front panel of the Kitchen manufacturer (WEMAF)                                  | 0                     | kg |
| 12. Weight MIN of the decorative front panel of the Kitchen manufacturer (WEMIF)   | 0                     | kg |
| 13. Thickness MAX of decorative front panel of the kitchen manufacturers (TMAF)  | 0                     | mm |
| 14. Minimum height of gap between front and front underneath, with MAX thickness of front (HMIFG)                        | 0                     | mm |
| <b>APPLIANCE</b>   |                       |    |
| <b>Overall Appliance</b>   |                       |    |
| 01. Height MIN Product (HMIP)  | 850                   | mm |
| 02. Height MAX product (HMAP)  | 850                   | mm |
| 03. Width product (WP)   | 450                   | mm |
| 04. Depth product without front (DP)   | 598                   | mm |
| 05. Depth product (D)  | 0                     | mm |
| 06. Depth MIN of plinth return front (DMIPRF)  | 0                     | mm |
| 07. Depth MAX of plinth return front (DMAPRF)  | 0                     | mm |
| 08. Height MIN Plinth return. Dimension is taken by minimum appliance height (HMIMIPR)                                   | 0                     | mm |
| 09. Height MAX Plinth return. Dimension is taken at minimum appliance height (HMIMAPR)                                   | 0                     | mm |
| <b>Built In - Floor Standing</b>   |                       |    |
| 12. Height MIN Product Panel. When product panel is missing, set to 0 (HMIPP)  | 0                     | mm |
| 13. Height MAX Product Panel. When product panel is missing, set to 0 (HMAPP)  | 0                     | mm |
| 14. Space in front, which is required to guarantee full operability. The most protruding part gives this dimension (RSF) | 572.5                 | mm |
| 15. Type of preparation to fix the cover door  | No drilling template  |    |
| <b>Retrace back socle</b>  |                       |    |
| 16. Depth of the socle retrace at the rear side (DBSR)   | 48                    | mm |
| 17. Height of the socle retrace at the rear side. This dimension is taken at minimum appliance height (HBSR)             | 120                   | mm |
| <b>TEMPLATE NAME</b>   |                       |    |
| 00. Name of the template to be used  | DISH_FREESTANDING45CM |    |