Product Fiche compliant to commission delegated regulation (EU) No 65/2014		
Brand	HOTPOINT	
Model	CH60ETC.0 S	
EEI [%] Energy Efficiency Index - Main cavity 1)	120.3	
EEI [%] Energy Efficiency Index - Secondary cavity 1)	119.1	
Energy Efficiency Class - Main cavity 2)	В	
Energy Efficiency Class - Secondary cavity 2)	В	
Energy consumption in conventional mode [kWh/cycle] - Main cavity 3)	0	
Energy consumption in conventional mode [kWh/cycle] - Secondary cavity 3)	0.85	
Energy consumption in fan-forced mode [kWh/cycle] - Main cavity 3)	1	
Energy consumption in fan-forced mode [kWh/cycle] - Secondary cavity 3)	0	
Energy consumption in conventional mode [MJ/cycle] - Main cavity 3)	0	
Energy consumption in conventional mode [MJ/cycle] - Secondary cavity 3)	0	
Energy consumption in fan-forced mode [MJ/cycle] - Main cavity 3)	0	
Energy consumption in fan-forced mode [MJ/cycle] - Secondary cavity 3)	0	
Number of cavities	2	
Heat source - Main cavity	Electric	
Heat Source - Secondary cavity	Electric	
Usable volume [I] - Main cavity	67	
Usable volume [I] - Secondary cavity	39	

¹⁾ Energy Efficiency Index calculated according to the volume and energy consumption for each cavity.

³⁾ Based on the results of standards tests that simulate the thermal properties of food. The consumption will depend on how the appliance is used.

Product Information compliant to commission regulation (EU) No 66/2014			
	Symbol	Value	Unit
Model identification		CH60ETC.0 S	
Type of oven		FANFORCE D	
Mass of the appliance	М	67.1	Kg
Number of cavities		2	
Heat source per cavity (electricity or gas)		Electric	
Volume per cavity - Main cavity	V	67	I
Volume per cavity - Secondary cavity	V	39	ı
Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) - Main cavity	ECelectric cavity	0.00	kWh/cy cle
Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) - Secondary cavity	ECelectric cavity	0.85	kWh/cy cle
Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy) - Main cavity	ECelectric cavity	1.00	kWh/cy cle
Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy) - Secondary cavity	ECelectric cavity	0.00	kWh/cy cle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Main cavity 1)	ECgas cavity	0.00	MJ/cyc le
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Main cavity	ECgas cavity	0.00	kWh/cy cle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Secondary cavity 1)	ECgas cavity	0.00	MJ/cyc le
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Secondary cavity	ECgas cavity	0.00	kWh/cy cle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Main cavity 1)	ECgas cavity	0.00	MJ/cyc le
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Main cavity	ECgas cavity	0.00	kWh/cy cle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Secondary cavity 1)	ECgas cavity	0.00	MJ/cyc le
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Secondary cavity	ECgas cavity	0.00	kWh/cy cle
Energy Efficiency Index per cavity - Main cavity	EElcavity	120.3	
Energy Efficiency Index per cavity - Secondary cavity	EElcavity	119.1	

²⁾ From A+++ (low consumption) to D (high consumption).

Product Information compliant to commission regulation (EU) No 66/2014				
	Symbol	Format	Unit	
Model identification		CH60ETC.0		
Type of hob		Electric		
Number of cooking zones and/or areas		4		
Heating technology (induction cooking zones and cooking areas, radiant of	rooking zones s	<u> </u>		
Left behind	Tooking zones, s	Highlight		
Center behind		Highlight		
Right behind		Highlight		
Left center				
Center center				
Right center				
Left ahead		Highlight		
Center ahead		3 3 1		
Right ahead		Oval Highlight		
For circular cooking zones: diameter of useful surface area per electric he	ated cooking zo			
Left behind	Ø	18.5	cm	
Center behind	Ø	0.0	cm	
Right behind	Ø	15.0	cm	
Left center	Ø	0.0	cm	
Center center	Ø	0.0	cm	
Right center	Ø	0.0	cm	
Left ahead	Ø	15.0	cm	
Center ahead	Ø	0.0	cm	
Right ahead	Ø	0.0	cm	
For non-circular cooking zones or areas: length and width of useful surfactions cooking zone or area				
Left behind	L;W	0.0 ; 0.0	cm	
Center behind	L;W	0.0 ; 0.0	cm	
Right behind	L;W	0.0 ; 0.0	cm	
Left center	L;W	0.0 ; 0.0	cm	
Center center	L;W	0.0 ; 0.0	cm	
Right center	L;W	0.0 ; 0.0	cm	
Left ahead	L;W	0.0 ; 0.0	cm	
Center ahead	L;W	0.0; 0.0	cm	
Right ahead	L;W	25.0 ; 15.0	cm	
Energy consumption per cooking zone or area calculated per Kg				
Left behind	ECelectric cooking	185.0	Wh/Kg	
Center behind	ECelectric cooking	0.0	Wh/Kg	
Right behind	ECelectric cooking	204.0	Wh/Kg	
Left center	ECelectric cooking	0.0	Wh/Kg	
Center center	ECelectric cooking	0.0	Wh/Kg	
	ECelectric	0.0	Wh/Kg	
Right center	cooking	1	-	
Right center Left ahead	cooking ECelectric	187.0	Wh/Kg	
•	cooking ECelectric cooking ECelectric	187.0	Wh/Kg Wh/Kg	
Left ahead	cooking ECelectric cooking			
Left ahead Center ahead	cooking ECelectric cooking ECelectric cooking ECelectric	0.0	Wh/Kg	
Left ahead Center ahead Right ahead	cooking ECelectric cooking ECelectric cooking ECelectric cooking	0.0	Wh/Kg	

Left behind	EEgas burner	0.0	
Center behind	EEgas burner	0.0	
Right behind	EEgas burner	0.0	
Left center	EEgas burner	0.0	
Center center	EEgas burner	0.0	
Right center	EEgas burner	0.0	
Left ahead	EEgas burner	0.0	
Center ahead	EEgas burner	0.0	
Right ahead	EEgas burner	0.0	
Energy efficiency for the gas hob	EEgas hob	0.0	