

Product Fiche compliant to commission delegated regulation (EU) No 65/2014

Brand	INDESIT
Model	ID60G2(A)
EEI [%] Energy Efficiency Index - Main cavity 1)	79.50380603
EEI [%] Energy Efficiency Index - Secondary cavity 1)	99.23045768
Energy Efficiency Class - Main cavity 2)	A+
Energy Efficiency Class - Secondary cavity 2)	A
Energy consumption in conventional mode [kWh/cycle] - Main cavity 3)	1.57
Energy consumption in conventional mode [kWh/cycle] - Secondary cavity 3)	1.36
Energy consumption in fan-forced mode [kWh/cycle] - Main cavity 3)	0
Energy consumption in fan-forced mode [kWh/cycle] - Secondary cavity 3)	0
Energy consumption in conventional mode [MJ/cycle] - Main cavity 3)	5.64
Energy consumption in conventional mode [MJ/cycle] - Secondary cavity 3)	4.9
Energy consumption in fan-forced mode [MJ/cycle] - Main cavity 3)	0
Energy consumption in fan-forced mode [MJ/cycle] - Secondary cavity 3)	0
Number of cavities	2
Heat source - Main cavity	Gas
Heat Source - Secondary cavity	Gas
Usable volume [l] - Main cavity	81
Usable volume [l] - Secondary cavity	32

- 1) Energy Efficiency Index calculated according to the volume and energy consumption for each cavity.
- 2) From A+++ (low consumption) to D (high consumption).
- 3) Based on the results of standards tests that simulate the thermal properties of food. The consumption will depend on how the appliance is used.

Product Information compliant to commission regulation (EU) No 66/2014

	Symbol	Value	Unit
Model identification		ID60G2(A)	
Type of oven		CONVENTIONAL	
Mass of the appliance	M	54.6	Kg
Number of cavities		2	
Heat source per cavity (electricity or gas)		Gas	
Volume per cavity - Main cavity	V	81	l
Volume per cavity - Secondary cavity	V	32	l
Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) - Main cavity	ECelectric cavity	1.57	kWh/cycle
Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) - Secondary cavity	ECelectric cavity	1.36	kWh/cycle
Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy) - Main cavity	ECelectric cavity	0.00	kWh/cycle
Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy) - Secondary cavity	ECelectric cavity	0.00	kWh/cycle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Main cavity 1)	ECgas cavity	5.64	MJ/cycle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Main cavity	ECgas cavity	0.00	kWh/cycle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Secondary cavity 1)	ECgas cavity	4.90	MJ/cycle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Secondary cavity	ECgas cavity	0.00	kWh/cycle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Main cavity 1)	ECgas cavity	0.00	MJ/cycle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Main cavity	ECgas cavity	0.00	kWh/cycle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Secondary cavity 1)	ECgas cavity	0.00	MJ/cycle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Secondary cavity	ECgas cavity	0.00	kWh/cycle
Energy Efficiency Index per cavity - Main cavity	EEIcavity	79.5	
Energy Efficiency Index per cavity - Secondary cavity	EEIcavity	99.2	

1) 1kWh/cycle = 3,6 MJ/cycle

Product Information compliant to commission regulation (EU) No 66/2014			
	Symbol	Format	Unit
Model identification		ID60G2(A)	
Type of hob		Gas	
Number of cooking zones and/or areas		0	
Heating technology (induction cooking zones and cooking areas, radiant cooking zones, solid plate)			
Left behind		Semi-Fast	
Center behind			
Right behind		Semi-Fast	
Left center			
Center center			
Right center			
Left ahead		Fast	
Center ahead			
Right ahead		Auxiliary	
For circular cooking zones: diameter of useful surface area per electric heated cooking zone			
Left behind	∅	7.5	cm
Center behind	∅	0.0	cm
Right behind	∅	7.5	cm
Left center	∅	0.0	cm
Center center	∅	0.0	cm
Right center	∅	0.0	cm
Left ahead	∅	10.0	cm
Center ahead	∅	0.0	cm
Right ahead	∅	5.5	cm
For non-circular cooking zones or areas: length and width of useful surface area per electric heated cooking zone or area			
Left behind	L ; W	0.0 ; 0.0	cm
Center behind	L ; W	0.0 ; 0.0	cm
Right behind	L ; W	0.0 ; 0.0	cm
Left center	L ; W	0.0 ; 0.0	cm
Center center	L ; W	0.0 ; 0.0	cm
Right center	L ; W	0.0 ; 0.0	cm
Left ahead	L ; W	0.0 ; 0.0	cm
Center ahead	L ; W	0.0 ; 0.0	cm
Right ahead	L ; W	0.0 ; 0.0	cm
Energy consumption per cooking zone or area calculated per Kg			
Left behind	E _{Electric cooking}	0.0	Wh/Kg
Center behind	E _{Electric cooking}	0.0	Wh/Kg
Right behind	E _{Electric cooking}	0.0	Wh/Kg
Left center	E _{Electric cooking}	0.0	Wh/Kg
Center center	E _{Electric cooking}	0.0	Wh/Kg
Right center	E _{Electric cooking}	0.0	Wh/Kg
Left ahead	E _{Electric cooking}	0.0	Wh/Kg
Center ahead	E _{Electric cooking}	0.0	Wh/Kg
Right ahead	E _{Electric cooking}	0.0	Wh/Kg
Energy consumption for the hob calculated per Kg	E _{Electric hob}	0.0	Wh/Kg
Number of gas fired burners		4	
Energy efficiency per gas burner			
Left behind	E _{Gas burner}	66.2	

Center behind	EEgas burner	0.0	
Right behind	EEgas burner	64.6	
Left center	EEgas burner	0.0	
Center center	EEgas burner	0.0	
Right center	EEgas burner	0.0	
Left ahead	EEgas burner	61.6	
Center ahead	EEgas burner	0.0	
Right ahead	EEgas burner	0.0	
Energy efficiency for the gas hob	EEgas hob	64.1	