

## 12NC/Fx: F162946

GTIN (EAN) code: 8050147629468

DIMENSION MEASURE		
OVERALL CABINET		
01. Height MIN of the base cabinet Niche, including all required space for installation or ventilation (HMIN_B)	820	mr
02. Height MAX of the base cabinet Niche, including all required space for installation or ventilation (HMAN_B)	900	mr
03. Width MIN of the base cabinet Niche, including all required space for installation or ventilation (WMIN_B)	600	mr
04. Width MAX of the base cabinet Niche, including all required space for installation or ventilation (WMAN_B)	608	mr
05. Depth of the base cabinet Niche, including all required space for installation or ventilation (DN_B)	560	mr
06. Indicates whether a ventilation opening is needed or not. Default is "N"	No	
07. appliance can be used as base for other appliances from the same manufacturer. Default is "N"	No	
Built In - Floor Standing		
08. Height MIN Decorative Front (HMIF)	653	mı
09. Height MAX Decorative Front (HMAF)	720	mı
10. Width MIN Decorative Front (WMIF)	596	m
11. Weight MAX of the decorative bottom front panel of the Kitchen manufacturer (WEMAF)	10	kg
12. Weight MIN of the decorative front panel of the Kitchen manufacturer (WEMIF)	2	kg
13. Thickness MAX of decorative front panel of the kitchen manufacturers (TMAF)	20	m
14. Minimum height of gap between front and front underneath, with MAX thickness of front (HMIFG)	3	m
APPLIANCE		
Overall Appliance		
01. Height MIN Product (HMIP)	820	m
02. Height MAX product (HMAP)	900	m
03. Width product (WP)	598	m
04. Depth product without front (DP)	555	m
05. Depth product (D)	575	m
06. Depth MIN of plinth return front (DMIPRF)	87	m
07. Depth MAX of plinth return front (DMAPRF)	87	m
08. Height MIN Plinth return. Dimension is taken by minimum appliance height (HMIMIPR)	93	m
09. Height MAX Plinth return. Dimension is taken at minimum appliance height (HMIMAPR)	160	m
10. Height MIN Plinth return. Dimension is taken by maximum appliance height (HMAMIPR)	173	m
11. Height MAX Plinth return. Dimension is taken at maximum appliance height (HMAMAPR)	240	m
Built In - Floor Standing		
12. Height MIN Product Panel. When product panel is missing, set to 0 (HMIPP)	115	m
13. Height MAX Product Panel. When product panel is missing, set to 0 (HMAPP)	145	m
14. Space in front, which is required to guarantee full operability. The most protruding part gives this dimension (RSF)	587.5	m
15. Type of preparation to fix the cover door	Drilling template standard	
Retrace back socle		
16. Depth of the socle retrace at the rear side (DBSR)	48	m
17. Height of the socle retrace at the rear side. This dimension is taken at minimum appliance height (HBSR)	120	m
TEMPLATE NAME		
00. Name of the template to be used	DISH_PARTIALLYINTEGRATED60CM	