
AKT 821/BA

12NC: 859482101020

EAN code: 8003437818721







Product group Built-in Type of control Electronic Type of control Electronic Type of control setting and signalling devices - Number of gas burners 0 Number of electric cooking zones 4 Number of electric plates 0 Number of radiant plates 4 Number of halogen plates 0 Number of induction plates 0 Number of electric warming zones 0 Location of control panel Hob Front Basic surface material Glass Main colour of product Black Electrical connection rating (W) 0 Current (A) 27,8 Voltage (V) 230 Frequency (Hz) 50 Length of Electrical Supply Cord (cm) - Plug type Ne Gas connection 46 Depth of the product 580 Meinimum niche height 42 Minimum niche width 560 Niche depth 490 Net weight (kg) 8 Automatic programmes	MAIN FEATURES		
Type of control Type of control setting and signalling devices Number of gas burners Number of electric cooking zones Number of electric plates Number of radiant plates Number of halogen plates Number of induction plates Number of induction plates Number of electric warming zones Location of control panel Basic surface material Basic surface material Glass Main colour of product Electrical connection rating (W) Gas connection rating (W) Current (A) Voltage (V) Frequency (Hz) Length of Electrical Supply Cord (cm) Plug type Gas connection Width of the product Height of the product Minimum niche height Minimum niche width Net weight (kg) Net weight (kg) Net weight (kg) 8	Product group	Hob	
Type of control setting and signalling devices Number of gas burners 0 Number of electric cooking zones 4 Number of electric plates 0 Number of radiant plates 1 Number of halogen plates 0 Number of induction plates 0 Number of electric warming zones 1 Location of control panel 1 Basic surface material 1 Basic surface material 2 Black Electrical connection rating (W) 3 Current (A) 27,8 Voltage (V) 7 Frequency (Hz) 1 Cungth of Electrical Supply Cord (cm) Plug type Ne Gas connection - Width of the product Depth of the product Minimum niche height Minimum niche width Net weight (kg) Net weight (kg) Net weight (kg) Net weight (kg) Ne Re O O O O O O O O O O O O O	Construction type	Built-in	
Number of gas burners 0 Number of electric cooking zones 4 Number of electric plates 0 Number of radiant plates 4 Number of induction plates 0 Number of electric warming zones 0 Location of control panel Hob Front Basic surface material Glass Main colour of product Black Electrical connection rating (W) 6300 Gas connection rating (W) 0 Current (A) 27,8 Voltage (V) 230 Frequency (Hz) 50 Length of Electrical Supply Cord (cm) - Plug type Ne Gas connection - Width of the product 580 Height of the product 46 Depth of the product 510 Minimum niche height 42 Minimum niche width 560 Niche depth 490 Net weight (kg) 8	Type of control	Electronic	
Number of electric cooking zones Number of radiant plates Number of radiant plates Number of halogen plates Number of induction plates Number of electric warming zones Location of control panel Basic surface material Basic surface material Electrical connection rating (W) Gas connection rating (W) Current (A) Voltage (V) Frequency (Hz) Length of Electrical Supply Cord (cm) Plug type Gas connection Width of the product Height of the product Minimum niche height Miche depth Net weight (kg) Net weight (kg) Net weight (kg) Net weight (kg) Number of electric plates O Number of radiant plates O O Current A Number of radiant plates O O Number of radiant plates O Number of radiant plates O O Number of radiant plates O Number o	Type of control setting and signalling devices	-	
Number of electric plates Number of radiant plates Number of halogen plates Number of induction plates Number of induction plates Number of electric warming zones Location of control panel Basic surface material Basic surface material Electrical connection rating (W) Gas connection rating (W) Current (A) Voltage (V) Frequency (Hz) Length of Electrical Supply Cord (cm) Plug type Gas connection Width of the product Height of the product Depth of the product Minimum niche height Minimum niche width Net weight (kg) Net weight (kg) 8	Number of gas burners	0	
Number of radiant plates4Number of halogen plates0Number of induction plates0Number of electric warming zones0Location of control panelHob FrontBasic surface materialGlassMain colour of productBlackElectrical connection rating (W)6300Gas connection rating (W)0Current (A)27,8Voltage (V)230Frequency (Hz)50Length of Electrical Supply Cord (cm)-Plug typeNeGas connection-Width of the product580Height of the product46Depth of the product510Minimum niche height42Minimum niche width560Niche depth490Net weight (kg)8	Number of electric cooking zones	4	
Number of halogen plates 0 Number of induction plates 0 Number of electric warming zones 0 Location of control panel Hob Front Basic surface material Glass Main colour of product Black Electrical connection rating (W) 6300 Gas connection rating (W) 0 Current (A) 27,8 Voltage (V) 230 Frequency (Hz) 50 Length of Electrical Supply Cord (cm) - Plug type Ne Gas connection - Width of the product 580 Height of the product 46 Depth of the product 510 Minimum niche height 42 Minimum niche width 560 Niche depth 490 Net weight (kg) 8	Number of electric plates	0	
Number of induction plates 0 Number of electric warming zones 0 Location of control panel Hob Front Basic surface material Glass Main colour of product Black Electrical connection rating (W) 6300 Gas connection rating (W) 0 Current (A) 27,8 Voltage (V) 230 Frequency (Hz) 50 Length of Electrical Supply Cord (cm) - Plug type Ne Gas connection - Width of the product 580 Height of the product 46 Depth of the product 510 Minimum niche height 42 Minimum niche width 560 Niche depth 490 Net weight (kg) 8	Number of radiant plates	4	
Number of electric warming zones0Location of control panelHob FrontBasic surface materialGlassMain colour of productBlackElectrical connection rating (W)6300Gas connection rating (W)0Current (A)27,8Voltage (V)230Frequency (Hz)50Length of Electrical Supply Cord (cm)-Plug typeNeGas connection-Width of the product580Height of the product46Depth of the product510Minimum niche height42Minimum niche width560Niche depth490Net weight (kg)8	Number of halogen plates	0	
Location of control panel Basic surface material Glass Main colour of product Electrical connection rating (W) Gas connection rating (W) Current (A) Voltage (V) Frequency (Hz) Length of Electrical Supply Cord (cm) Plug type Gas connection Width of the product Depth of the product Minimum niche height Mich edepth Net weight (kg) Net weight (kg) Hob Front Glass Hob Front Glass Hob Front Glass Hob Front Glass Hob Front Black Electrical Connection 0 0 0 0 0 0 0 0 0 0 0 0 0	Number of induction plates	0	
Basic surface material Glass Main colour of product Electrical connection rating (W) Gas connection rating (W) Current (A) Voltage (V) Frequency (Hz) Length of Electrical Supply Cord (cm) Plug type Ne Gas connection - Width of the product Depth of the product Minimum niche height Miche depth Net weight (kg) Slass Black Bl	Number of electric warming zones	0	
Main colour of productBlackElectrical connection rating (W)6300Gas connection rating (W)0Current (A)27,8Voltage (V)230Frequency (Hz)50Length of Electrical Supply Cord (cm)-Plug typeNeGas connection-Width of the product580Height of the product46Depth of the product510Minimum niche height42Minimum niche width560Niche depth490Net weight (kg)8	Location of control panel	Hob Front	
Electrical connection rating (W) Gas connection rating (W) Current (A) Voltage (V) Frequency (Hz) Length of Electrical Supply Cord (cm) Plug type Re Gas connection Width of the product Height of the product Depth of the product Minimum niche height Minimum niche width Net weight (kg) 8	Basic surface material	Glass	
Gas connection rating (W) Current (A) Voltage (V) Frequency (Hz) Length of Electrical Supply Cord (cm) Plug type Reas connection Width of the product Height of the product Depth of the product Minimum niche height Minimum niche width Net weight (kg) Net 27,8 27,8 27,8 28 29 Ne 40 Ne 8	Main colour of product	Black	
Current (A) 27,8 Voltage (V) 230 Frequency (Hz) 50 Length of Electrical Supply Cord (cm) - Plug type Ne Gas connection - Width of the product 580 Height of the product 46 Depth of the product 510 Minimum niche height 42 Minimum niche width 560 Niche depth 490 Net weight (kg) 8	Electrical connection rating (W)	6300	
Voltage (V) 230 Frequency (Hz) 50 Length of Electrical Supply Cord (cm) - Plug type Ne Gas connection - Width of the product 580 Height of the product 46 Depth of the product 510 Minimum niche height 42 Minimum niche width 560 Niche depth 490 Net weight (kg) 8	Gas connection rating (W)	0	
Frequency (Hz) 50 Length of Electrical Supply Cord (cm) - Plug type Ne Gas connection - Width of the product 580 Height of the product 46 Depth of the product 510 Minimum niche height 42 Minimum niche width 560 Niche depth 490 Net weight (kg) 8	Current (A)	27,8	
Length of Electrical Supply Cord (cm) Plug type Sas connection Width of the product Height of the product Depth of the product Minimum niche height Minimum niche width Niche depth Net weight (kg)	Voltage (V)	230	
Plug type Gas connection - Width of the product Height of the product Depth of the product Minimum niche height Minimum niche width Niche depth Net weight (kg) Ne	Frequency (Hz)	50	
Gas connection - Width of the product 580 Height of the product 46 Depth of the product 510 Minimum niche height 42 Minimum niche width 560 Niche depth 490 Net weight (kg) 8	Length of Electrical Supply Cord (cm)	-	
Width of the product 580 Height of the product 46 Depth of the product 510 Minimum niche height 42 Minimum niche width 560 Niche depth 490 Net weight (kg) 8	Plug type	Ne	
Height of the product 46 Depth of the product 510 Minimum niche height 42 Minimum niche width 560 Niche depth 490 Net weight (kg) 8	Gas connection	-	
Depth of the product 510 Minimum niche height 42 Minimum niche width 560 Niche depth 490 Net weight (kg) 8	Width of the product	580	
Minimum niche height 42 Minimum niche width 560 Niche depth 490 Net weight (kg) 8	Height of the product	46	
Minimum niche width 560 Niche depth 490 Net weight (kg) 8	Depth of the product	510	
Niche depth 490 Net weight (kg) 8	Minimum niche height	42	
Net weight (kg) 8	Minimum niche width	560	
- , -,	Niche depth	490	
Automatic programmes Ne	Net weight (kg)	8	
	Automatic programmes	Ne	

TECHNICAL FEATURES		
Power on indicator	Yes	
Plate on indicator	4	
Type of regulation	Radiant	
Type of lid	-	
Residual heat indicator	separate	
Main on/off switch	Yes	
Safety device	-	
Timer	Programmable	

ENERGY LABEL	
Energy input	Electric