
AKP 137/IX

12NC: 857713701500

EAN code: 8003437935855







Product group Oven Commercial code AKP 137/IX Main colour of product Nerez Construction type Vstavaná Type of control Mechanical and electronic Type of control setting and signalling devices - Are any hobs controls integrated? Nie Which kind of hobs can be controlled? - Automatic programmes Áno Current (A) 16 Voltage (V) 220-240 Frequency (Hz) 50-60 Length of Electrical Supply Cord (cm) 90 Plug type Nie Depth with open door 90 degree (mm) - Height of the product 595 Width of the product 595 Width of the product 595 Depth of the product 564 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 33 Usable volume (of cavity) 60 Noise level (dB(A) re 1 pW) - Integrated Cleaning system Nie Grids 1 Trays 3	MAIN FEATURES		
Main colour of product Construction type Vstavaná Type of control Type of control Type of control setting and signalling devices Are any hobs controls integrated? Which kind of hobs can be controlled? Automatic programmes Ano Current (A) 16 Voltage (V) 220-240 Frequency (Hz) Length of Electrical Supply Cord (cm) Plug type Nie Depth with open door 90 degree (mm)	Product group	0ven	
Type of control Type of control Type of control setting and signalling devices Are any hobs controls integrated? Which kind of hobs can be controlled? Automatic programmes Ano Current (A) Totage (V) Frequency (Hz) Length of Electrical Supply Cord (cm) Plug type Nie Depth with open door 90 degree (mm) Height of the product Minimum niche height Minimum niche width Niche depth Niche depth Noise level (dB(A) re 1 pW) Integrated Cleaning system Nie Mechanical and Mechanical and electronic Indeptoration Mechanical and Mechanical and electronic Indeptoration Mechanical and electronic Amechanical and electronic Indeptoration Nie Mechanical and electronic Indeptoration Nie Mechanical and electronic Indeptoration Nie Mechanical and electronic Indeptoration Indeptoration Mechanical and electronic Indeptoration Indeptoration	Commercial code	AKP 137/IX	
Type of control Type of control setting and signalling devices Are any hobs controls integrated? Which kind of hobs can be controlled? Automatic programmes Ano Current (A) 16 Voltage (V) Frequency (Hz) Length of Electrical Supply Cord (cm) Plug type Nie Depth with open door 90 degree (mm) Height of the product Sp5 Width of the product Minimum niche height Minimum niche width Niche depth Niche depth Noise level (dB(A) re 1 pW) Integrated Cleaning system Nie Pue Are any hobs controls electrical and electronic Ano Ano Ano Current (A) 16 220-240 Frequency (Hz) 50-60 220-240 Frequency (Hz) 50-60 200-20-20-20 50-60 200-20-20-20 50-60 200-20-20-20 200-20 200-20	Main colour of product	Nerez	
Type of control Type of control setting and signalling devices Are any hobs controls integrated? Which kind of hobs can be controlled? Automatic programmes Ano Current (A) Voltage (V) Frequency (Hz) Length of Electrical Supply Cord (cm) Plug type Depth with open door 90 degree (mm) Height of the product S95 Width of the product S95 Width of the product Minimum niche height O Niche depth Niche depth Niche depth No Noise level (dB(A) re 1 pW) Integrated Cleaning system Nie	Construction type	Vstavaná	
Type of control setting and signalling devices Are any hobs controls integrated? Which kind of hobs can be controlled? Automatic programmes Ano Current (A) 16 Voltage (V) Frequency (Hz) Length of Electrical Supply Cord (cm) Plug type Nie Depth with open door 90 degree (mm) Height of the product 595 Width of the product 595 Depth of the product 595 Depth of the product Minimum niche height 0 Niche depth Niche depth Niche depth No Net weight (kg) Usable volume (of cavity) Noise level (dB(A) re 1 pW) Integrated Cleaning system Nie	Type of control	Mechanical and	
Are any hobs controls integrated? Which kind of hobs can be controlled? Automatic programmes Ano Current (A) Voltage (V) Frequency (Hz) Length of Electrical Supply Cord (cm) Plug type Nie Depth with open door 90 degree (mm) Height of the product S95 Width of the product 595 Width of the product 595 Depth of the product 564 Minimum niche height O Niche depth Net weight (kg) Noise level (dB(A) re 1 pW) Integrated Cleaning system Nie		electronic	
Which kind of hobs can be controlled? Automatic programmes Ano Current (A) 16 Voltage (V) Frequency (Hz) Length of Electrical Supply Cord (cm) Plug type Nie Depth with open door 90 degree (mm) Height of the product 595 Width of the product 595 Width of the product 595 Depth of the product 564 Minimum niche height 0 Niche depth 0 Net weight (kg) Usable volume (of cavity) Noise level (dB(A) re 1 pW) Integrated Cleaning system Nie Grids	Type of control setting and signalling devices	-	
Automatic programmes Current (A) Voltage (V) Frequency (Hz) Length of Electrical Supply Cord (cm) Plug type Depth with open door 90 degree (mm) Height of the product S95 Width of the product S95 Depth of the product Minimum niche height O Niche depth Net weight (kg) Usable volume (of cavity) Integrated Cleaning system Ano 220-240 Frequency (Hz) 50-60 Noise level (dB (A) re 1 pW) Integrated Cleaning system Ano 16 200-240 Frequency (Hz) 50-60 Policy (cm) 90 Policy (cm) 90 Plug type Nie	Are any hobs controls integrated?	Nie	
Current (A) 16 Voltage (V) 220-240 Frequency (Hz) 50-60 Length of Electrical Supply Cord (cm) 90 Plug type Nie Depth with open door 90 degree (mm) - Height of the product 595 Width of the product 595 Depth of the product 564 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 33 Usable volume (of cavity) 60 Noise level (dB(A) re 1 pW) - Integrated Cleaning system Nie Grids 1	Which kind of hobs can be controlled?	-	
Voltage (V) 220-240 Frequency (Hz) 50-60 Length of Electrical Supply Cord (cm) 90 Plug type Nie Depth with open door 90 degree (mm) - Height of the product 595 Width of the product 595 Depth of the product 564 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 33 Usable volume (of cavity) 60 Noise level (dB(A) re 1 pW) - Integrated Cleaning system Nie Grids 1	Automatic programmes	Áno	
Frequency (Hz) 50-60 Length of Electrical Supply Cord (cm) 90 Plug type Nie Depth with open door 90 degree (mm) - Height of the product 595 Width of the product 595 Depth of the product 564 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 33 Usable volume (of cavity) 60 Noise level (dB(A) re 1 pW) - Integrated Cleaning system Nie Grids 1	Current (A)	16	
Length of Electrical Supply Cord (cm) Plug type Nie Depth with open door 90 degree (mm) Height of the product S95 Width of the product 595 Depth of the product Minimum niche height O Niche depth Net weight (kg) Usable volume (of cavity) Noise level (dB(A) re 1 pW) Integrated Cleaning system Grids Nie	Voltage (V)	220-240	
Plug type Nie Depth with open door 90 degree (mm) - Height of the product 595 Width of the product 564 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 33 Usable volume (of cavity) 60 Noise level (dB(A) re 1 pW) - Integrated Cleaning system Nie Grids 1	Frequency (Hz)	50-60	
Depth with open door 90 degree (mm) - Height of the product 595 Width of the product 595 Depth of the product 564 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 33 Usable volume (of cavity) 60 Noise level (dB(A) re 1 pW) - Integrated Cleaning system Nie Grids 1	Length of Electrical Supply Cord (cm)	90	
Height of the product 595 Width of the product 595 Depth of the product 564 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 33 Usable volume (of cavity) 60 Noise level (dB(A) re 1 pW) - Integrated Cleaning system Nie Grids 1	Plug type	Nie	
Width of the product 595 Depth of the product 564 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 33 Usable volume (of cavity) 60 Noise level (dB(A) re 1 pW) - Integrated Cleaning system Nie Grids 1	Depth with open door 90 degree (mm)	-	
Depth of the product 564 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 33 Usable volume (of cavity) 60 Noise level (dB(A) re 1 pW) - Integrated Cleaning system Nie Grids 1	Height of the product	595	
Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 33 Usable volume (of cavity) 60 Noise level (dB(A) re 1 pW) - Integrated Cleaning system Nie Grids 1	Width of the product	595	
Minimum niche width 0 Niche depth 0 Net weight (kg) 33 Usable volume (of cavity) 60 Noise level (dB(A) re 1 pW) - Integrated Cleaning system Nie Grids 1	Depth of the product	564	
Niche depth 0 Net weight (kg) 33 Usable volume (of cavity) 60 Noise level (dB(A) re 1 pW) - Integrated Cleaning system Nie Grids 1	Minimum niche height	0	
Net weight (kg) 33 Usable volume (of cavity) 60 Noise level (dB(A) re 1 pW) - Integrated Cleaning system Nie Grids 1	Minimum niche width	0	
Usable volume (of cavity) 60 Noise level (dB(A) re 1 pW) - Integrated Cleaning system Nie Grids 1	Niche depth	0	
Noise level (dB(A) re 1 pW) - Integrated Cleaning system Nie Grids 1	Net weight (kg)	33	
Integrated Cleaning system Nie Grids 1	Usable volume (of cavity)	60	
Grids 1	Noise level (dB(A) re 1 pW)	-	
	Integrated Cleaning system	Nie	
Trays 3	Grids	1	
	Trays	3	

TECHNICAL FEATURES		
Timer	Programmable	
Time control	Electronic	
Time-setting options	Start and Stop	
Safety device	-	
Interior light	Áno	
Number of interior lights	1	
Position of interior lights	Rear	
Oven guides	Telescopic	
Probe	Nie	

ENERGETICKÝ ŠTÍTOK		
Energy input	Electric	
Type of energy	Elektrický	
Energy efficiency class - cavity 1	A	
Energy consumption conventional (kWh)	1.10	
Energy consumption forced air convection (kWh)	0.79	