
IFW 6330 WH UK

12NC: F102675

GTIN (EAN) code: 8050147026755







Product group Oven Commercial code IFW 6330 WH UK Main colour of product White Construction type Built-in Type of control Mechanical Type of control settings - Are any hobs controls integrated? No Which kind of hobs can be controlled? - Automatic programmes No Current (A) 13 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 100 Plug type UK Depth with open door 90 degree (mm) - Height of the product 595 Width of the product 595 Width of the product 595 Depth of the product 551 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 27.1 Usable volume (of cavity) Integrated Cleaning system No Grids of the cavity 1 Irrays	MAIN FEATURES	
Main colour of productWhiteConstruction typeBuilt-inType of controlMechanicalType of control settings-Are any hobs controls integrated?NoWhich kind of hobs can be controlled?-Automatic programmesNoCurrent (A)13Voltage (V)220-240Frequency (Hz)50/60Length of Electrical Supply Cord (cm)100Plug typeUKDepth with open door 90 degree (mm)-Height of the product595Width of the product595Depth of the product551Minimum niche height0Niche depth0Net weight (kg)27.1Usable volume (of cavity)66Integrated Cleaning systemNoGrids of the cavity1	Product group	Oven
Construction type Type of control Type of control Type of control settings - Are any hobs controls integrated? Which kind of hobs can be controlled? Automatic programmes No Current (A) 13 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) Plug type UK Depth with open door 90 degree (mm) - Height of the product 595 Width of the product 595 Width of the product 595 Depth of the product 551 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 27.1 Usable volume (of cavity) Integrated Cleaning system No Grids of the cavity 1	Commercial code	IFW 6330 WH UK
Type of control Type of control settings - Are any hobs controls integrated? No Which kind of hobs can be controlled? - Automatic programmes No Current (A) 13 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) Plug type UK Depth with open door 90 degree (mm) Height of the product 595 Width of the product 595 Depth of the product 595 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 27.1 Usable volume (of cavity) Integrated Cleaning system No Grids of the cavity 1	Main colour of product	White
Type of control settings Are any hobs controls integrated? Which kind of hobs can be controlled? Automatic programmes No Current (A) Voltage (V) Frequency (Hz) Length of Electrical Supply Cord (cm) Plug type UK Depth with open door 90 degree (mm) Height of the product S95 Width of the product 595 Width of the product 595 Minimum niche height O Niche depth No Net weight (kg) Integrated Cleaning system No Grids of the cavity 1	Construction type	Built-in
Are any hobs controls integrated? Which kind of hobs can be controlled? Automatic programmes No Current (A) Voltage (V) Ength of Electrical Supply Cord (cm) Plug type UK Depth with open door 90 degree (mm) Height of the product S95 Width of the product 595 Width of the product 595 Minimum niche height O Niche depth No Net weight (kg) Integrated Cleaning system No Grids of the cavity I 3 No Current (A) 13 Voltage (V) 220-240 Frequency (Hz) 50/60 100 100 100 100 100 100 100	Type of control	Mechanical
Which kind of hobs can be controlled? Automatic programmes No Current (A) 13 Voltage (V) Frequency (Hz) Length of Electrical Supply Cord (cm) Plug type UK Depth with open door 90 degree (mm) Height of the product 595 Width of the product 595 Width of the product 595 Depth of the product 595 Minimum niche height 0 Niche depth Niche depth Net weight (kg) 27.1 Usable volume (of cavity) Grids of the cavity 1	Type of control settings	-
Automatic programmes No Current (A) 13 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 100 Plug type UK Depth with open door 90 degree (mm) - Height of the product 595 Width of the product 595 Depth of the product 595 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 27.1 Usable volume (of cavity) 66 Integrated Cleaning system No	Are any hobs controls integrated?	No
Current (A) 13 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 100 Plug type UK Depth with open door 90 degree (mm) - Height of the product 595 Width of the product 595 Depth of the product 551 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 27.1 Usable volume (of cavity) 66 Integrated Cleaning system No Grids of the cavity 1	Which kind of hobs can be controlled?	-
Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 100 Plug type UK Depth with open door 90 degree (mm) - Height of the product 595 Width of the product 595 Depth of the product 551 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 27.1 Usable volume (of cavity) 66 Integrated Cleaning system No Grids of the cavity 1	Automatic programmes	No
Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 100 Plug type UK Depth with open door 90 degree (mm) - Height of the product 595 Width of the product 595 Depth of the product 551 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 27.1 Usable volume (of cavity) 66 Integrated Cleaning system No Grids of the cavity 1	Current (A)	13
Length of Electrical Supply Cord (cm) Plug type UK Depth with open door 90 degree (mm) Height of the product 595 Width of the product 595 Depth of the product 551 Minimum niche height 0 Minimum niche width 0 Niche depth Net weight (kg) 1 Usable volume (of cavity) Grids of the cavity 1	Voltage (V)	220-240
Plug type Depth with open door 90 degree (mm) Height of the product S95 Width of the product Depth of the product S95 Depth of the product Minimum niche height Niche depth Net weight (kg) Usable volume (of cavity) Grids of the cavity Usable door so the cavity Usable volume (of cavity) Grids of the cavity Usable volume (of cavity) Grids of the cavity Usable volume (of cavity) Grids of the cavity Usable volume (of cavity) In the product S95 O O O O O O O O O O O O O O O	Frequency (Hz)	50/60
Depth with open door 90 degree (mm) Height of the product 595 Width of the product 595 Depth of the product 551 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 27.1 Usable volume (of cavity) Grids of the cavity 1	Length of Electrical Supply Cord (cm)	100
Height of the product 595 Width of the product 595 Depth of the product 551 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 27.1 Usable volume (of cavity) 66 Integrated Cleaning system No Grids of the cavity 1	Plug type	UK
Width of the product 595 Depth of the product 551 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 27.1 Usable volume (of cavity) 66 Integrated Cleaning system No Grids of the cavity 1	Depth with open door 90 degree (mm)	-
Depth of the product 551 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 27.1 Usable volume (of cavity) 66 Integrated Cleaning system No Grids of the cavity 1	Height of the product	595
Minimum niche height0Minimum niche width0Niche depth0Net weight (kg)27.1Usable volume (of cavity)66Integrated Cleaning systemNoGrids of the cavity1	Width of the product	595
Minimum niche width 0 Niche depth 0 Net weight (kg) 27.1 Usable volume (of cavity) 66 Integrated Cleaning system No Grids of the cavity 1	Depth of the product	551
Niche depth 0 Net weight (kg) 27.1 Usable volume (of cavity) 66 Integrated Cleaning system No Grids of the cavity 1	Minimum niche height	0
Net weight (kg) 27.1 Usable volume (of cavity) 66 Integrated Cleaning system No Grids of the cavity 1	Minimum niche width	0
Usable volume (of cavity) 66 Integrated Cleaning system No Grids of the cavity 1	Niche depth	0
Integrated Cleaning system No Grids of the cavity 1	Net weight (kg)	27.1
Grids of the cavity 1	Usable volume (of cavity)	66
· · · · · · · · · · · · · · · · · · ·	Integrated Cleaning system	No
Trays 1	Grids of the cavity	1
	Trays	1

TECHNICAL FEATURES	
Timer	-
Time control	Mechanical
Time-setting options	Start and Stop
Safety device	-
Interior light	Yes
Number of interior lights of the cavity	1
Position of interior lights of the cavity	Front left
Oven guides of the cavity	Wall-embedded
Probe of the cavity	No

PERFORMANCES	
Energy input	Electric
Type of energy of the cavity	Electricity
Energy efficiency class - NEW (2010/30/EU)	A
Energy consumption per cycle conventional - NEW (2010/30/EU)	0.00
Energy consumption per cycle forced air convection - NEW (2010/30/EU)	0.79