

ING 72T/BK

12NC/Fx: F159022

GTIN (EAN) code: 8050147590225

MENSION MEAS		SURE	
APPLIANCE			
Product width	730	mm	
Product depth	510	mm	
Radius of product corner	6	mm	
Product height (MAX protrusion from the worktop)	60	mm	
Underneath the bearing area of the appliance	42	mm	
Distance between cut out and top frontal projection	15	mm	
Distance between cut out and top lateral projection	85	mm	
Plateau thickness	7	mm	
Gas outlet positioning	Rear right		
Gas outlet X positioning	112	mm	
Gas outlet Y positioning	25	mm	
Power cable	With product		
Power cable positioning	Rear		
CUT OUT			
MIN front distance from cut-out to end worktop	0	mm	
MIN rear distance from cut out to wall/furniture	55	mm	
MIN lateral distance from cut out to wall/furniture	185	mm	
MIN height from worktop to above furniture	420	mm	
MIN cut out width	560	mm	
MAX cut out width	562	mm	
MIN cut out depth	480	mm	
MAX cut out depth	482	mm	
MIN cut out radius	0	mm	
MAX cut out radius	8	mm	
FLUSH INSTALLATION			
Indicates whether a flush installation is possible. Default is "N"	Yes		
MIN Milling rabbet width	733	mm	
MAX Milling rabbet width	735	mm	
MIN Milling rabbet depth	513	mm	
MAX Milling rabbet depth	515	mm	
Milling rabbet thickness	12	mm	
Radius milling rabbet	6.5	mm	
Flush installation KIT (2)	With product		
Indicates the minum worktop thickness with standard installation for gas	20	mm	
Indicates the maximum worktop thickness with standard installation for gas	60	mm	
Indicates the minum worktop thickness with flush installation for gas	30	mm	
Indicates the maximum worktop thickness with flush installation for gas	68	mm	
WITH OVEN			
Indicates whether the cooktop can be installed above oven. Default is "Y"	Yes		
MIN worktop thickness with oven	0	mm	
MAX worktop thickness with oven	0	mm	

DIMENSION	MEAS	URE
Indicates whether a protection tray against heat or contact is needed with oven. Default is "N"	No	
Indicates whether a ventilation opening in the back side of cabinet is needed or not with oven. Default is "Y"	No	
Indicates the position of the opening in the back side of the cabinet with oven	N/A	
MIN Width of rear opening required with oven	0	mm
MIN Depth of rear opening required with oven.	0	mm
MIN AREA of rear opening required with oven	0	Cm ²
MIN distance from cabinet to rear wall, with oven	0	mm
Indicates whether a ventilation opening in the top front side of cabinet is needed or not with oven. Default is "N"	No	
MIN Frontal gap required, with oven (2)	0	mm
MIN frontal opening area required with oven	0	Cm ²
WITH CABINET		
MIN worktop thickness with cabinet	0	mm
MAX worktop thickness with cabinet	0	mm
Indicates whether a protection tray against heat or contact is needed. Default is "Y"	Yes	
MIN distance from bottom line of appliance to protection tray	20	mm
Indicates whether a ventilation opening in the tray is needed or not with cabinet	No	
Recess dimension X	0	mm
Recess dimension Y	0	mm
Positioning dimension X by axis	0	mm
Distance of the tray from the back panel/wall	0	mm
Indicates whether a divider is available	N/A	
Indicates whether a ventilation opening in the back side of cabinet is needed or not. Default is "Y"	No	
Indicates the position of the opening in the back side of the cabinet.	N/A	
MIN Width of rear opening of the cabinet	0	mm
MIN Depth of rear opening of the cabinet	0	mm
MIN AREA of rear opening of the cabinet	0	cm ²
MIN distance from cabinet to rear wall	0	mm
Indicates whether a ventilation opening in the top front side of cabinet is needed or not. Default is "N"	No	
MIN Frontal gap of the cabinet	0	mm
MIN frontal opening area of the cabinet	0	Cm ²
INSTALLATION SPACE		
Depth of immersion underneath the appliance	10	mm
Width protruding area below bottom box	61	mm
Depth protruding area below bottom box	62	mm
Protruding area: X positioning	74	mm
Protruding area: Y positioning	9	mm
ACCESSORIES FOR INSTALLATION		
Gasket	Separate KIT	
Clips	Separate	

DIMENSION

MEASURE

	KIT	
Injector KIT	Separate KIT	
Elbow KIT	N/A	
COOKTOP HOOD INSTALLATION ONLY FOR GAS		
MIN distance from cooktop to above furniture	700	mm
MIN distance between cabinets above the cooktop	600	mm
MAX distance between cabinets above the cooktop	750	mm