

Supplier's name or trade mark: INDESIT

Supplier's address: VIA CARLO PISACANE, 1 20016 PERO (MI) ITALY

Model identifier: IWDC 65125 S UK N

General product parameters:

Parameter	Value		Parameter	Value	
Rated capacity (kg)	Rated capacity	5,0	Dimensions in cm	Height	85
	Rated washing capacity	6,0		Width	60
				Depth	54
Energy Efficiency Index	EEl _W	101,8	Energy efficiency class	EEl _W	F
	EEl _{WD}	93,2		EEl _{WD}	F
Washing efficiency index	I _W	1,031	Rinsing effectiveness (g/kg dry textile)	I _R	4,9
	J _W	1,031		J _R	4,9
Energy consumption in kWh per cycle, for the washing cycle of the household washer-dryer, using the eco 40-60 programme at a combination of full and partial loads. Actual energy consumption will depend on how the appliance is used	0,824		Energy consumption in kWh per cycle, for the wash and dry cycle of the household washer-dryer at a combination of full and half loads. Actual energy consumption will depend on how the appliance is used	3,700	
Water consumption in litre per cycle, based on the eco 40-60 programme at a combination of full and partial loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water.	43		Water consumption in litre per cycle, for the wash and dry cycle of the household washer-dryer at a combination of full and half loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water	66	

Parameter	Value		Parameter	Value	
Maximum temperature inside the treated textile (°C) for the washing cycle of the household washer-dryer, using the eco 40-60 programme	Rated washing capacity	36	Maximum temperature inside the treated textile (°C) for the washing cycle of the household washer-dryer, using the wash and dry cycle	Rated capacity	34
	Half	34			
	Quarter	36		Half	35
Spin speed (rpm)	Rated washing capacity	1151	Weighted remaining moisture content (%)	53,0	
	Half	1151			
	Quarter	1151			
Eco 40-60 programme duration (h:min)	Rated washing capacity	3:15	Spin-drying efficiency class	B	
	Half	2:35			
	Quarter	2:10			
Airborne acoustical noise emissions during the spinning phase for the eco 40-60 washing cycle at rated washing capacity (dB(A) re 1 pW)	74		Wash and dry cycle duration (h:min)	Rated capacity	9:50
				Half	5:40
Type	Free-standing		Airborne acoustical noise emission class for the spinning phase for the eco 40-60 programme at rated washing capacity	B	
Off-mode (W) (if applicable)	0,50		Standby mode (W) (if applicable)	0,50	
Delay start (W) (if applicable)	4,00		Networked standby (W) (if applicable)	-	

Minimum duration of the guarantee offered by the supplier: 24 months

This product has been designed to release silver ions during the washing cycle	No
---	-----------

Additional information: For products sold in the UK and in Ireland the duration of the guarantee is 12 months.

Weblink to the supplier's website, where the information in point 9 of Annex II to Commission Regulation (EU) 2019/2023 is found: <https://docs.whirlpool.eu>