

Laundry liquid detergent

Revision n. 01
Revision date: 06/2017

SAFETY DATA SHEET

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code:	[WML200] 484010678169 - [WML100] 484010678167 - [WML300] 484010678166
Product name	[WML500] 484010678160 - [WML400] 484010678168 WPRO Detergente liquido professionale per bucato
Chemical name and synonym	Mixture of substances for detergent use.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Not available

1.3. Details of the supplier of the safety data sheet

Name	Icefor spa
Full address	via Pablo Picasso, 16
District and Country	20013 Magenta (MI) Italia
	Tel. 02 9792401
	Fax 02 9793751
e-mail address of the competent person responsible for the Safety Data Sheet	ufficio.tecnico@icefor.com
Product distribution by:	I.C.E.FOR S.p.A. via Pablo Picasso, 16 - 20013 Magenta (MI) tel. 029792401 www.iceforprofessional.com

1.4. Emergency telephone number

For urgent safety information call the Anti-Poison Center of your country. Check the emergency list on page 11.

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of EC Regulation 1907/2006 and subsequent amendments.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Serious eye damage, category 1	H318	Causes serious eye damage.
Skin irritation, category 2	H315	Causes skin irritation.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Danger

Hazard statements

H318 Causes serious eye damage.
H315 Causes skin irritation.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read label before use.
P302+P352 IF ON SKIN: wash with plenty of water / . . .
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER / doctor / . . .
P332+P313 If skin irritation occurs: Get medical advice / attention.

Contains: Sodium C10-14 Alchyl benzensulfonate

Ingredients according to Regulation (EC) No. 648/2004

Less than 5% soap
5% or over but less than 15% anionic surfactants, non-ionic surfactants

enzymes, optical brighteners
Alpha-Isomethyl Ionone, Linalool,

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

SECTION 3. Composition/information on ingredients

3.1. Substances

Information not relevant

3.2. Mixtures

Contains:

The full wording of hazard (H) phrases is given in section 16 of the sheet.

Identification	x = Conc. %	Classification 1272/2008 (CLP)
Sodium C10-14 Alchyl benzensulfonate CAS 68411-30-3 EC 270-115-0 INDEX - Reg. no. 01-2119489428-22-0037	7 ≤ x < 8	Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Aquatic Chronic 3 H412
CAS 157627-86-6 EC INDEX -	5 ≤ x < 6	Acute Tox. 4 H302, Aquatic Chronic 3 H412
CAS 68891-38-3 EC 500-234-8 INDEX - Reg. no. 01-2119488639-16-0005	4 ≤ x < 4,5	Eye Dam. 1 H318, Skin Irrit. 2 H315, Aquatic Chronic 3 H412

POTASSIUM COCOATE

CAS 61789-30-8 2,5 ≤ x < 3 Eye Irrit. 2 H319, Skin Irrit. 2 H315

EC 263-049-9

INDEX -

Reg. no. absent, annex V

CAS 68439-50-9

1 ≤ x < 1,5 Eye Dam. 1 H318, Aquatic Acute 1 H400 M=1

EC

INDEX -

Reg. no. esente, polimero

1,2 benzisothiazol-3

CAS 2634-33-5

0 ≤ x < 0,05 Acute Tox. 4 H302, Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1

EC 220-120-9

INDEX -

SECTION 4. First aid measures

4.1. Description of first aid measures

There is no known harm to the staff authorized to use the product . In case of necessity , will adopt the following general measures : Ingestion : Consult a doctor immediately . Induce vomiting only if indicated by the doctor . Never give anything by mouth to an unconscious person.

EYES and SKIN : Wash with plenty of water . If irritation persists, consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. If the product is flammable, use explosion-proof equipment. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

Avoid storage at high temperatures. Storage locations: Cool, dry and well ventilated, far from heat and light sources. Do not store at temperatures below 10°C.

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Washing agents and detergent additives.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Sodium C10-14 Alchyl benzensulfonate								
Predicted no-effect concentration - PNEC								
Normal value in fresh water				0,268				mg/l
Normal value in marine water				0,0268				mg/l
Normal value for fresh water sediment				8,1				mg/kg
Normal value for marine water sediment				6,8				mg/kg
Normal value for water, intermittent release				0,0167				mg/l
Normal value of STP microorganisms				3,43				mg/l
Normal value for the food chain (secondary poisoning)				VND				
Normal value for the terrestrial compartment				35				mg/kg
Normal value for the atmosphere				VND				
Health - Derived no-effect level - DNEL / DMEL								
	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral							0,425 mg/kg bw/d	
Inhalation							1,5 mg/m3	
Skin							42,5 mg/kg bw/d	
Predicted no-effect concentration - PNEC								
Normal value in fresh water				0,24				mg/l
Normal value in marine water				0,024				mg/l

Normal value for fresh water sediment	0,0917	mg/kg
Normal value for marine water sediment	0,092	mg/kg
Normal value of STP microorganisms	10000	mg/l
Normal value for the terrestrial compartment	7,5	mg/kg

Health - Derived no-effect level - DNEL / DMEL

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral							15 mg/kg bw/d	
Inhalation							52 mg/m ³	
Skin							1650 mg/kg bw/d	

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (see standard EN 374).

Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

None required, unless indicated otherwise in the chemical risk assessment.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	liquid
Colour	light blue
Odour	pleasant
Odour threshold	non determinato
pH	8 - 8,5
Melting point / freezing point	60 – 116°C (Sodium C10-13 Alchyl benzensulfonate) 150 – 300°C (alcohols, c12-14, ethoxylated, sulfates, sodium salts)
Initial boiling point	400°C (alcohols, c12-14, ethoxylated, sulfates, sodium salts)
Boiling range	Not available
Flash point	> 60 °C
Evaporation Rate	Non pertinente
Flammability of solids and gases	not applicable
Lower inflammability limit	Not available
Upper inflammability limit	Not available
Lower explosive limit	Not available
Upper explosive limit	Not available
Vapour pressure	Non pertinente
Vapour density	Non pertinente

Relative density	1,020 - 1,060
Solubility	soluble in water
Partition coefficient: n-octanol/water	Non pertinente
Auto-ignition temperature	Not available
Decomposition temperature	Non determinato
Viscosity	300 -600 cps Brookfield
Explosive properties	not applicable
Oxidising properties	not applicable

9.2. Other information

No information

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Do not mix with different substances

10.6. Hazardous decomposition products

In case of overheating and fire, irritating / toxic gases / vapors may develop.

SECTION 11. Toxicological information

11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

LC50 (Inhalation) of the mixture: Not classified (no significant component)

LD50 (Oral) of the mixture: >2000 mg/kg

LD50 (Dermal) of the mixture: Not classified (no significant component)

> 2000 mg/kg

LD50 (Oral)

POTASSIUM COCOATE

> 2000 mg/kg rat

LD50 (Oral)

Sodium C10-14 Alchyl benzensulfonate

> 2000 mg/kg ratto

LD50 (Oral)

> 2000 mg/kg RATTO
LD50 (Oral)

2000 mg/kg
LD50 (Oral)

SKIN CORROSION / IRRITATION

Causes skin irritation

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

SECTION 12. Ecological information

The surfactants contains in this product are conform with biodegradability criteria according to reg. ce 648/2004. All the datas supporting the a.m. declaration are available to the competent authorities of the Member States and will be provided upon their request and/or upon request of the detergent manufacturer, for the a.m. authorities. Not overuse

12.1. Toxicity

LC50 - for Fish < 1 mg/l/96h Specie Carassius Auratus - Cesio

EC50 - for Crustacea < 1 mg/l/48h Specie Dafnie - Cesio

POTASSIUM COCOATE

LC50 - for Fish > 1 mg/l/96h pesce

EC50 - for Crustacea > 1 mg/l/48h Daphnia

EC50 - for Algae / Aquatic Plants > 1 mg/l/72h

1,2 benzisothiazol-3

LC50 - for Fish 3,7 mg/l/96h alghe

EC50 - for Crustacea 0,8 mg/l/48h

EC50 - for Algae / Aquatic Plants 1,9 mg/l/72h

Sodium C10-14 Alchyl benzensulfonate

LC50 - for Fish > 1 mg/l/96h

EC50 - for Crustacea > 1 mg/l/48h

EC50 - for Algae / Aquatic Plants > 1 mg/l/72h

LC50 - for Fish 7,1 mg/l/96h Brachydanio renio

EC50 - for Crustacea 7,7 mg/l/48h Daphnia

EC50 - for Algae / Aquatic Plants 12 mg/l/72h

LC50 - for Fish 5 mg/l/96h

EC50 - for Crustacea 5 mg/l/48h

EC50 - for Algae / Aquatic Plants 5 mg/l/72h

12.2. Persistence and degradability

alcoholsl C12-C14 3 EO

Not persistent and biodegradable- Test OECD 301 - Durata : 28g >%:60 - Note :easily biodegradable

POTASSIUM COCOATE

Rapidly biodegradable (Reg.648/2004).

Sodium C10-13 Alchyl benzensulfonate

Rapidly biodegradable (Reg.648/2004).

alcohols, C12-14, ethoxylated, sulfates, sodium salts

Rapidly biodegradable (Reg.648/2004).

12.3. Bioaccumulative potential

alcohols, C13-C15 ethoxylated

Evaluation: there is no need to wait for accumulation in organisms.

12.4. Mobility in soil

alcohols, C13-C15 ethoxylated

Transport transfer between environmental compartments: the substance does not evaporate in the atmosphere from the surface of the water. Solid phase absorption is possible.

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004

Ingredients according to Regulation (EC) No. 648/2004

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

15.2. Chemical safety assessment

A chemical safety assessment has been performed for the following contained substances

Sodium C10-14 Alchyl benzensulfonate

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 4	Acute toxicity, category 4
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
Skin Sens. 1	Skin sensitization, category 1
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
 4. Regulation (EU) 2015/830 of the European Parliament
 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- The Merck Index. - 10th Edition
 - Handling Chemical Safety
 - INRS - Fiche Toxicologique (toxicological sheet)
 - Patty - Industrial Hygiene and Toxicology
 - N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
 - IFA GESTIS website
 - ECHA website
 - Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

























Changes to previous review:

The following sections were modified:

09 / 15.

Emergency telephone numbers

For urgent safety information call the Anti-Poison Center of your country:

	COUNTRY	CUSTOMER SERVICE NR.	ANTI-POISON CENTER NR.
	AUSTRIA	(0043) 050 6700 200	(0043) 01 406 43 43
	BELGIUM	(0032) (0)2 263 33 33	(0032) 070 245 245
	BULGARIA	(00359) 0700 100 68	
	CROAZIA	(00385) 0130 40 333	
	CZECK REP.	(00420) 840 111 313	(00420) 224 91 54 02
	DENEMARK	(0045) 44880222	(0045) 82121212
	FINLAND	(09) 61336 235	(09) 471977
	FRANCE	(0033) 0892 700 150	(0033) 01 40 05 48 48
	GERMAN	(0049) 0711 93533655	(0049) 0761 19240
	GREECE	(0030) 2109946400	(0030) 2107793777
	HOLLAND	(0031) (0)76 530 6400	(0031) 030 274 8888
	HUNGARY	(0036) 1 999 5000	(0036) 80 20 11 99
	IRELAND	(00353) 0844 815 8989	(00353) 1 8092566
	ITALY	(0039) 199 580 480	(0039) 02 66101029
	KAZAKISTAN	(007) 8 800 100 5731	
	NORWAY	(0047) 227 82580	(0047) 22 59 13 00
	POLAND	(0048) 801 900 666	Warszawa: (0048) 22 619 66 54 Gdańsk: (0048) 58 682 04 04 Poznań: (0048) 61 847 69 46 Kraków: (0048) 12 411 99 99
	PORTUGAL	(00351) 707 203 204	(00351) 808 250143
	ROMANIAN	(0040) 0372 117 745	
	RUSSIA	(007) 8 800 100 57 31	
	SERBIA	(00381) 11 30 65 674	
	SLOVAKIA	(00421) 0850 003 007	(00421) 2 54774166
	SPAIN	(0034) 902 203 204	(0034) 915 620 420
	SWEDEN	(0046) 0771 751570	(0046) 08 331231
	SWISS	(0041) 0848 801 005	(0041) 145
	UK	(0044) 0844 815 8989	(0044) 0845 46 47 (0044) 020 7188 0600
	TURKEY	(0090) 444 5010	
	UCRAIN	(00380) 0 800 30 20 30	