
AKR 037 G BL


12NC: 857803701000


GTIN (EAN) code: 8003437219368














- Maximum noise level 70 dBA
- Noise Level (min. max.): 59-70 dBA
- Air Flow (min. max.): 400, 647 m3/h
- Maximum extraction rate: 647 (m3/h)
- Energy class B
- Extraction / Recirculation Rate
 %Z_REQ_MAX_OUT_EXTRACTION% / 432 m3/h
- 3 speed settings
- Integrated controls
- 2 LED, 2 W lamps
- 1 x 260 W motor
- Perimetral aspiration
- Mechanical Buttons
- 1 Washable aluminium filter
- Grease Filtering Efficiency Class: E
- Lighting Efficiency Class: A
- Fluid Dynamic Efficiency Class: B

Whirlpool freestanding cooker hood - AKR 037 G BL

This Whirlpool freestanding Cooker Hood features: black color. Dishwasher-safe, washable aluminium grease filters. LED lights for ideal lighting. An outstanding cooker extractor fan, ensuring a fresh, grease-free cooking environment. Less than 60cm wide appliance.

LED lighting

Increased energy and cost efficiency. The LED lighting system lasts 10 times longer than traditional bulbs and uses 90% less energy.

Carbon Filter Included

Enjoy fresh air in your kitchen, always. This Whirlpool Hood includes a carbon purifying air filter, that effectively protects your kitchen from odours and grease.

Flexible Installation

Flexible installation options. This Whirlpool Hood can be operated in either Ducted or Recirculated mode (filter needed), so you can enjoy complete freedom when designing your kitchen.

3 Speeds

Versatile performance. This Whirlpool Hood offers 3 speed options, giving you complete control over the extraction rate.

Glass design

Designed to delight. Modern, sleek and beautiful, this glass hood is designed to be an eye-catching addition to your home.

Total annual energy consumption

Ideal performance, outstanding savings. Whirlpool Hoods are designed to provide exceptional results, while reducing energy costs.

Mechanical control

Effortless control. This Whirlpool Hood includes an analogue control interface designed for simplicity and ease-of-use.

Perimetral aspiration

Maximum odour absorption. Thanks to the perimeter aspiration technology, cooking vapors are absorbed along the outer edges of the hood, rather than through the grease filter in the middle, leaving your kitchen odour-free. The filters are concealed, reducing noise levels, and stopping the grease from reaching the surface of your hood.

Energy class B

Energy efficient. This is an Energy Class B appliance.

2 lights

Perfect lighting. This Whirlpool Hood features two integrated lights, providing ideal illumination, so you'll always be able to see what's cooking.

AKR 037 G BL

12NC: 857803701000

GTIN (EAN) code: 8003437219368



MAIN FEATURES		
Product group	Hood	
Colour body	Black	
Material body	Glass	
Colour chimney	Black	
Material chimney	Metal	
Туроlоду	Manual	
Installation type	Free-standing	
Type of control	Mechanical	
Type of control settings	-	
Decor panel options	N/A	
Motor location	Integrated motor in hood body	
Operating Mode	Convertible	
Electrical connection rating (W)	262	
Current (A)	1,1	
Voltage (V)	220-240	
Frequency (Hz)	50/60	
Length of Electrical Supply Cord (cm)	150	
Plug type	Schuko	
Chimney height (mm)	370-700	
Height of product, without chimney (mm)	325	
Height of the product	360	
Width of the product	598	
Depth of the product	326	
Minimum niche height	0	
Minimum niche width	0	
Niche depth	0	
Net weight (kg)	12	

TECHNICAL FEATURE	ES .
Type of manual control devices	Buttons
Type of automatic control devices	-
Number of motors	1
Total power of the motors (W)	260
Number of speed settings: boost option availability	3
Boost presence	No
Maximum output air extraction (m³/h)	647
Boost position air extraction (m³/h)	0
Maximum output recirculating air (m³/h)	432
Boost position output recirculating (m³/h)	0
Light Control Type	On/Off
Number of lights	2
Type of lamps used	LED
Total power of the lamps (W)	2
Diameter of air outlet (mm)	150
No-return airflow flap	No
Grease filter material	Washable aluminium
Odour filter	Yes

PERFORMANCES	
Sound power at min. speed (2010/30/EU)	59
Sound power at max. speed (2010/30/EU)	70
Noise level with boost position (dB(A) re 1 pW)	0

