

## Stainless steel Hygienizer Detergent

Revision n. 05  
Revision date: 02/09/2020



### SAFETY DATA SHEET

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Mixture identification: |  
Trade name: | **Stainless steel Hygienizer Detergent - Stainless steel cleaner**  
Trade code: | [SSC212] 484000008423 - [SSC213] 484000008493 - [SSC214] 484000008940

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use:** Stainless steel cleaner.

CONSUMER USE.

**Uses advised against:** Do not use for purposes other than those listed.

##### 1.3. Information about manufacturer of Safety data sheet

Company name	Synt Chemical S.r.l.
Address	Via Armando Gagliani, 5
City and Country	40069 Zola Predosa (BO) - ITALIA
Telephone	Tel. 051 752332 - Fax 051 754945
e-mail of the safety responsible person	<a href="mailto:laboratorio@syntchemical.it">laboratorio@syntchemical.it</a>
responsible of material data sheet	Dr. Silvano Invernizzi

##### 1.4. Emergency telephone number

For urgent safety information call the Anti-Poison Center of your country. Check the emergency list on page 12.

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

##### 2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Hazard pictograms: None

Hazard statements: None

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Special Provisions: None

Special provisions according to Annex XVII of REACH and subsequent amendments: None

IngredientS (Reg. CE n. 648/2004): <5% non-ionic surfactants.

Perfumes.

SDS121200660UK

### 2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards








## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
5 - 9 %	1-methoxy-2-propanol; monopropylene glycol methyl ether	Index number: 603-064-00-3 CAS: 107-98-2 EC: 203-539-1 REACH No.: 01-2119457435-35	 2.6/3 Flam. Liq. 3 H226  3.8/3 STOT SE 3 H336
3 - 7 %	2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve	Index number: 603-014-00-0 CAS: 111-76-2 EC: 203-905-0 REACH No.: 01-2119475108-36	 3.3/2 Eye Irrit. 2 H319  3.2/2 Skin Irrit. 2 H315  3.1/4/Oral Acute Tox. 4 H302  3.1/4/Dermal Acute Tox. 4 H312  3.1/4/Inhal Acute Tox. 4 H332

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

### 4.2. Most important symptoms and effects, both acute and delayed

No data available for the mixture. See section 11 for symptoms and effects of the substances.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media:

Water spray jets, CO<sub>2</sub>, dry chemical, foam.

Extinguishing media which must not be used for safety reasons:

Water jets.

### 5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

### **5.3. Advice for firefighters**

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

### **6.2. Environmental precautions**

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

### **6.3. Methods and material for containment and cleaning up**

Wash with plenty of water.

### **6.4. Reference to other sections**

See also section 8 and 13

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

Avoid contact with skin and eyes, inhalation of vapours and mists.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Do not eat or drink while working.

### **7.2. Conditions for safe storage, including any incompatibilities**

Keep away from open flames, sparks, hot surfaces. Avoid direct exposure to sunlight.

Keep away from food, drink and feed.

Incompatible materials: See subsection 10.5

Instructions as regards storage premises: Adequately ventilated premises.

### **7.3. Specific end use(s)**

See section 1.2.

## **SECTION 8: Exposure controls/personal protection**

### **8.1. Control parameters**

1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2

- OEL Type: EU - TWA(8h): 375 mg/m<sup>3</sup>, 100 ppm - STEL: 568 mg/m<sup>3</sup>, 150 ppm

2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve - CAS: 111-76-2

- OEL Type: EU - TWA(8h): 98 mg/m<sup>3</sup>, 20 ppm - STEL: 246 mg/m<sup>3</sup>, 50 ppm

- OEL Type: ACGIH - TWA(8h): 20 ppm

- OEL Type: STEL ( EC ) - TWA: 246 mg/m<sup>3</sup>, 50 ppm

- OEL Type: TWA - TWA: 98 mg/m<sup>3</sup>, 20 ppm

DNEL Exposure Limit Values

1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2

Worker Industry: 369 mg/m<sup>3</sup> - Consumer: 43.9 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 553.5 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Short Term, local effects

Worker Industry: 183 mg/kg bw/d - Consumer: 78 mg/kg bw/d - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Consumer: 33 mg/kg bw/d - Exposure: Human Oral - Frequency: Long Term, systemic effects

2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve - CAS: 111-76-2  
Worker Industry: 75 mg/kg - Worker Professional: 125 mg/m<sup>3</sup> - Consumer: 38 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects  
Worker Industry: 98 mg/m<sup>3</sup> - Consumer: 49 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects  
Consumer: 3.2 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects  
Consumer: 147 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Short Term (acute)  
Worker Professional: 1091 mg/m<sup>3</sup> - Consumer: 426 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Short Term, systemic effects  
Worker Professional: 89 - Consumer: 89 mg/kg bw/d - Exposure: Human Dermal - Frequency: Short Term, systemic effects  
Consumer: 26.7 mg/kg bw/d - Exposure: Human Oral - Frequency: Short Term, systemic effects  
Worker Professional: 6.3 mg/kg bw/d - Consumer: 75 mg/kg bw/d - Exposure: Human Oral - Frequency: Long Term (repeated)  
Worker Professional: 246 mg/m<sup>3</sup> - Consumer: 59 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term (repeated)  
Frequency: Short Term, local effects

#### PNEC Exposure Limit Values

1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2  
Target: Aquatic, temporary release. - Value: 100 mg/l  
Target: Freshwater sediments - Value: 52.3 mg/l  
Target: Marine water sediments - Value: 5.2 mg/kg  
Target: Soil (agricultural) - Value: 4.59 mg/kg  
Target: Marine water - Value: 1 mg/l  
Target: Fresh Water - Value: 10 mg/l  
Target: STP - Value: 100 mg/l

2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve - CAS: 111-76-2  
Target: Microorganisms in sewage treatments - Value: 463 mg/l  
Target: Fresh Water - Value: 8.8 mg/l  
Target: Marine water - Value: 0.88 mg/l  
Target: Intermittent releases - Value: 9.1 mg/l  
Target: Soil (agricultural) - Value: 3.13 mg/kg  
Target: Freshwater sediments - Value: 34.6 mg/kg  
Target: Marine water sediments - Value: 3.46 mg/kg  
Target: Soil (agricultural) - Value: 2.33 mg/kg  
Target: Oral (Secondary poisoning) - Value: 0.02 g/kg

## 8.2. Exposure controls

Eye protection: Under normal conditions of use no special precautions are required.

Protection for skin: Under normal conditions of use no special precautions are required.

Protection for hands: If a prolonged contact with the product is expected, it's recommended to protect your hands with work gloves resistant to penetration (ref. Standard EN 374). Final choice of the gloves material must also evaluate the process of using the product and any other products derived from them. It also recalled that the latex gloves could cause sensitization effects.

Respiratory protection: If you exceed the threshold value (e.g. TLV-TWA) of one or more of the substances in the preparation, wear a mask with a filter EN 14387 type ABEK. The use of respiratory protective equipment is necessary in the absence of technical measures to limit worker exposure. Nonetheless, the masks provide limited protection.

In the case where the substance in question is odourless or its olfactory threshold is higher than the relative exposure limit and in case of emergency, wear an open circuit compressed-air self-respirator (Standard EN 137) or an external air- uptake respirator to be used with full face mask, half face mask or mouthpiece (ref. Standard EN 138).

Thermal Hazards: None

Environmental exposure controls: See section 7 and 13.

Appropriate engineering controls:

Ensure adequate ventilation of the premises.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Appearance and colour:	colourless liquid	--	--
Odour:	perfumed	--	--
Odour threshold:	Not Relevant	--	--
pH:	9,8 - 10	--	--
Melting point / freezing point:	Not Relevant	--	--
Initial boiling point and boiling range:	Not Relevant	--	--
Flash point:	>60 ° C	--	--
Evaporation rate:	Not Relevant	--	--
Solid/gas flammability:	not applicable as a liquid	--	--
Upper/lower flammability or explosive limits:	Not Relevant	--	--
Vapour pressure:	Not Relevant	--	--
Vapour density:	Not Relevant	--	--
Relative density:	1.00 g/ml	--	--
Solubility in water:	soluble	--	--
Solubility in oil:	Not Relevant	--	--
Partition coefficient (n-octanol/water):	Not Relevant	--	--
Auto-ignition temperature:	not applicable based on composition	--	--
Decomposition temperature:	Not Relevant	--	--
Viscosity:	Not Relevant	--	--
Explosive properties:	not explosive based on composition	--	--
Oxidizing properties:	not oxidant based on composition	--	--

### 9.2. Other information

Properties	Value	Method:	Notes
Miscibility:	Not Relevant	--	--
Fat Solubility:	Not Relevant	--	--
Conductivity:	Not applicable	--	--
Substance Groups relevant properties	Not Relevant	--	--

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

In normal condition of use and storage (see section 7) dangerous reactions are not expected.

### 10.2. Chemical stability

Stable under normal conditions

### 10.3. Possibility of hazardous reactions

In normal condition of use and storage dangerous reactions are not expected . Avoid contact with incompatible substances.

### 10.4. Conditions to avoid

Avoid overheating, electrostatic discharge and all sources of ignition.

### 10.5. Incompatible materials

Strong oxidizing agents, strong acids, strong bases.

## 10.6. Hazardous decomposition products

In case of fire or decomposition may spread gas and vapors potentially harmful for health as CO<sub>2</sub>, carbon mono-oxide and other irritating fumes.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Toxicological information of the product:

a) acute toxicity

Not classified

Based on available data, the classification criteria are not met

b) skin corrosion/irritation

Not classified

Based on available data, the classification criteria are not met

c) serious eye damage/irritation

Not classified

Based on available data, the classification criteria are not met

d) respiratory or skin sensitisation

Not classified

Based on available data, the classification criteria are not met

e) germ cell mutagenicity

Not classified

Based on available data, the classification criteria are not met

f) carcinogenicity

Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity

Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure

Not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure

Not classified

Based on available data, the classification criteria are not met

j) aspiration hazard

Not classified

Based on available data, the classification criteria are not met

Toxicological information of the main substances found in the product:

1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 4016 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg

Test: LC0 - Route: Inhalation - Species: Rat > 7000 ppm - Duration: 6h - Source: OECD 403

b) skin corrosion/irritation:

Route: Skin - Species: Rat Negative - Source: OECD 404

c) serious eye damage/irritation:

Route: .EYES - Species: Rat Slight irritation - Source: OECD 405

f) carcinogenicity:

Test: NOAEC - Species: Mouse = 3000 ppm

g) reproductive toxicity:

Test: NOAEL - Route: Fetal development. - Species: Rat = 1500 ppm - Source: OECD 414

Test: NOAELC - Species: Rat = 300 ppm

2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve - CAS: 111-76-2

a) acute toxicity:

Test: LC50 - Route: Inhalation - Species: Rat = 450 ppm - Duration: 4h

Test: LD50 - Route: Oral - Species: Rat = 1746 mg/kg - Notes: OCSE 401

Test: LD50 - Route: Skin - Species: Pig = 6411 mg/kg  
Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg bw/day - Notes: OECD 402  
b) skin corrosion/irritation:  
Test: Skin Irritant Positive  
c) serious eye damage/irritation:  
Test: Eye Irritant Positive  
d) respiratory or skin sensitisation:  
Test: Skin Sensitization - Species: Guinea pig Negative  
e) germ cell mutagenicity:  
Test: Mutagenesis (Ames test) Negative  
g) reproductive toxicity:  
Test: NOAEL - Route: Oral - Species: Rabbit = 720 mg/kg bw/day

## **SECTION 12: Ecological information**

### **12.1. Toxicity**

Adopt good working practices, so that the product is not released into the environment.

Not classified for environmental hazards

Based on available data, the classification criteria are not met

1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Fish (*Pimephales promelas*) = 20800 mg/l - Duration h: 96

Endpoint: EC50 - Species: *Daphnia magna* = 21100 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae (*Selenastrum capricornutum*) > 1000 mg/l - Duration h: 168

c) Bacteria toxicity:

Endpoint: IC50 - Species: Active sludge > 1000 mg/l - Duration h: 3

2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve - CAS: 111-76-2

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: *Daphnia* = 1550 mg/l - Duration h: 48 - Notes: OECD 202

Endpoint: EC50 - Species: Algae = 911 mg/l - Duration h: 72 - Notes: OECD 408

Endpoint: LC50 - Species: Fish = 1474 mg/l - Duration h: 96 - Notes: OECD 203

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Fish > 100 mg/l - Duration h: 21 - Notes: OECD 204

### **12.2. Persistence and degradability**

1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2

Biodegradability: Readily biodegradable

2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve - CAS: 111-76-2

Biodegradability: Readily biodegradable - Duration h: 28 days - %: 90.4

### **12.3. Bioaccumulative potential**

1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2

Low bioaccumulative

2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve - CAS: 111-76-2

Low bioaccumulative

### **12.4. Mobility in soil**

1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2

Very high mobility potential.

2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve - CAS: 111-76-2

Very high mobility potential.

### **12.5. Results of PBT and vPvB assessment**

vPvB Substances: None - PBT Substances: None

### **12.6. Other adverse effects**

None



## **SECTION 13: Disposal considerations**

### **13.1. Waste treatment methods**

Recover if possible. In so doing, comply with the local and national regulations currently in force.

## **SECTION 14: Transport information**

### **14.1. UN number**

Not classified as dangerous in the meaning of transport regulations.

### **14.2. UN proper shipping name**

Not applicable

### **14.3. Transport hazard class(es)**

Not applicable

### **14.4. Packing group**

Not applicable

### **14.5. Environmental hazards**

ADR-Environmental Pollutant: No

IMDG-Marine pollutant: No

### **14.6. Special precautions for user**

Not applicable

### **14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable

## **SECTION 15: Regulatory information**

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) 2015/830

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 40

Restrictions related to the substances contained:

Restriction 30

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)



Provisions related to directive EU 2012/18 (Seveso III):  
Seveso III category according to Annex 1, part 1  
None

## 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.  
Substances for which a Chemical Safety Assessment has been carried out:  
1-methoxy-2-propanol; monopropylene glycol methyl ether  
2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve

## SECTION 16: Other information

Full text of phrases referred to in Section 3:

H226 Flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H332 Harmful if inhaled.

Hazard class and hazard category	Code	Description
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Acute Tox. 4	3.1/4/Dermal	Acute toxicity (dermal), Category 4
Acute Tox. 4	3.1/4/Inhal	Acute toxicity (inhalation), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECHA website: <https://echa.europa.eu/home>

IFA GESTIS website: <https://limitvalue.ifa.dguv.de>

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.

# Stainless steel Hygienizer Detergent




## INGREDIENTS SHEET

COMPONENT IUPAC	INCI NAME	CAS	Pharmacopea name	EINECS	%
WATER	AQUA	7732-18-5	aqua	231-791-2	≥ 10
1-methoxypropan-2-ol	METHOXYISOPRO- PANOL	107-98-2	NA	203-539-1	≥1 - <10
2-butoxyethanol	BUTOXYETHANOL	111-76-2	NA	203-905-0	≥1 - <10
2,2',2''-Nitrilotriethanol	TRIETHANOLAMINE	102-71-6	NA	203-049-8	≥1 - <10
Isotridecanol, ethoxylated	NA	69011-36-5	NA	NA	≥0.1 - <1
Parfum	NA	NA	NA	NA	≥0.1 - <1
D-Glucopyranose, oligomers, decyl octyl glycosides	CAPRYLYL/ CAPRYL GLUCOSIDE	68515-73-1	NA	500-220-1	< 0.1
2-methoxypropanol	2-Methoxypropanol	1589-47-5	NA	216-455-5	< 0.1

## Emergency telephone numbers

For urgent safety information call the Anti-Poison Center of your country:

	<b>COUNTRY</b>	<b>CUSTOMER SERVICE NR.</b>	<b>ANTI-POISON CENTER NR.</b>
	AUSTRIA	(0043) 050 6700 2111	(0043) 01 406 43 43
	BELGIUM	(0032) (0)2 263 33 33	(0032) 070 245 245
	BULGARIA	(00359) 0700 11270	
	CROAZIA	(00385) 01 39 08 720	
	CZECK REP.	(00420) 810 800 023	(00420) 224 91 54 02
	DENEMARK	(0045) 35 35 80 10	(0045) 82121212
	FINLAND	(09) 61336 235	(09) 471977
	FRANCE	(0033) 09 69 39 1234	(0033) 01 40 05 48 48
	GERMAN	(0049) 0711 8888 900	(0049) 0761 19240
	GREECE	(0030) 213 088 6010	(0030) 2107793777
	HOLLAND	(0031) 076 5306400	(0031) 030 274 8888
	HUNGARY	(0036) 1 999 5000	(0036) 80 20 11 99
	IRELAND	(00353) 0843 249 8038	(00353) 1 8092566
	ITALY	(0039) 02 20 30	(0039) 02 66101029
	KAZAKISTAN	(007) 8 800 3333 887	
	NORWAY	(0047) 815 300 28	(0047) 22 59 13 00
	POLAND	(0048) 801 33 22 11	<i>Warszawa: (0048) 22 619 66 54 Gdańsk: (0048) 58 682 04 04 Poznań: (0048) 61 847 69 46 Kraków: (0048) 12 411 99 99</i>
	PORTUGAL	(00351) 707 203 204	(00351) 808 250143
	ROMANIAN	(0040) 021 20 40 356	(0040) 021 318 36 06
	RUSSIA	(007) 8 800 3333 887	
	SERBIA	(00381) 011 41 42 412	
	SLOVAKIA	(00421) 850 111 731	(00421) 2 54774166
	SPAIN	(0034) 902 203 204	(0034) 915 620 420
	SWEDEN	(0046) 077 575 7450	(0046) 10 456 6700
	SWISS	(0041) 0840 845 845	(0041) 145
	UK	(0044) 0843 636 2617	(0044) 0845 46 47 (0044) 020 7188 0600
	TURKEY	(0090) 444 5010	(0090) 114
	UCRAIN	(00380) 810 800 023	+38(044) 258 47 73 +38(044) 526 96 43 +38(044) 526 97 00