

Supplier's name or trade mark: INDESIT

Supplier's address: VIA CARLO PISACANE, 1 20016 PERO (MI) ITALY

Model identifier: BI WDIL 75125 UK N

General product parameters:

Parameter	Value		Parameter	Value	
Rated capacity (kg)	Rated capacity	5,0	Dimensions in cm	Height	82
	Rated washing capacity	7,0		Width	60
				Depth	55
Energy Efficiency Index	EEl <sub>W</sub>	90,8	Energy efficiency class	EEl <sub>W</sub>	E
	EEl <sub>WD</sub>	93,2		EEl <sub>WD</sub>	F
Washing efficiency index	I <sub>W</sub>	1,040	Rinsing effectiveness (g/kg dry textile)	I <sub>R</sub>	3,2
	J <sub>W</sub>	1,040		J <sub>R</sub>	4,0
Energy consumption in kWh per cycle, for the washing cycle of the household washer-dryer, using the eco 40-60 programme at a combination of full and partial loads. Actual energy consumption will depend on how the appliance is used	0,112		Energy consumption in kWh per cycle, for the wash and dry cycle of the household washer-dryer at a combination of full and half loads. Actual energy consumption will depend on how the appliance is used	0,740	
Water consumption in litre per cycle, based on the eco 40-60 programme at a combination of full and partial loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water.	44		Water consumption in litre per cycle, for the wash and dry cycle of the household washer-dryer at a combination of full and half loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water	66	

Parameter	Value		Parameter	Value	
Maximum temperature inside the treated textile (°C) for the washing cycle of the household washer-dryer, using the eco 40-60 programme	Rated washing capacity	38	Maximum temperature inside the treated textile (°C) for the washing cycle of the household washer-dryer, using the wash and dry cycle	Rated capacity	40
	Half	36			
	Quarter	36		Half	39
Spin speed (rpm)	Rated washing capacity	1151	Weighted remaining moisture content (%)	53,0	
	Half	1151			
	Quarter	1151			
Eco 40-60 programme duration (h:min)	Rated washing capacity	3:25	Spin-drying efficiency class	B	
	Half	2:40			
	Quarter	2:10			
Airborne acoustical noise emissions during the spinning phase for the eco 40-60 washing cycle at rated washing capacity (dB(A) re 1 pW)	74		Wash and dry cycle duration (h:min)	Rated capacity	9:50
				Half	5:40
Type	Built-in		Airborne acoustical noise emission class for the spinning phase for the eco 40-60 programme at rated washing capacity	B	
Off-mode (W) (if applicable)	0,50		Standby mode (W) (if applicable)	0,50	
Delay start (W) (if applicable)	4,00		Networked standby (W) (if applicable)	-	

**Minimum duration of the guarantee offered by the supplier: 24 months**

<b>This product has been designed to release silver ions during the washing cycle</b>	<b>No</b>
---	-----------

**Additional information:**

---

Weblink to the supplier's website, where the information in point 9 of Annex II to Commission Regulation (EU) 2019/2023 is found: <https://docs.whirlpool.eu>