W7 OM5 4 H


12NC: 859991538920

GTIN (EAN) code: 8003437834387









- **6TH Sense technology**
- Up to 40 6th SENSE Cooking Combinations
- SmartClean
- Energy class A+
- Cavity 73 L
- Cook4
- Ready2Cook
- **Defrost function**
- Forced Air Fan Cooking
- Grill
- Easy Clean Enamel Interior
- Turbo grill function
- Maxi cooking
- Pastry function
- Pizza/Bread function
- Warm Keeping
- Extra Browning

Whirlpool built in electric oven: inox color, self cleaning - W7 OM5 4 H

This Whirlpool built in Oven features: smart Clean technology, that provides a self cleaning cycle that ensures ideal cleaning results, at the touch of a button. Advanced electric technology allowing you to cook dishes saving energy. Halogen lamp allowing a more energy-efficient performance. Exclusive 6th SENSE technology, that allows you to pick among a variety of pre-programmed recipes, and your oven will automatically adjust cooking, temperature and time settings, to ensure perfect results. Ready2Cook function, that uses a powerful convection system to quickly reach the right temperature, and completely eliminate pre-heating need.



Multifunction 8

Multiple cooking methods. The Multifunction 8 feature offers flexible cooking options, to ensure perfect results, whatever the recipe.



6th Sense W6 W7

No more guesswork. Simply pick your recipes, and let 6th SENSE cook them to perfection, every time. Up to 40 cooking combinations organized to fit your lifestyle and diet, for a full assisted cooking experience.



Ready2cook

No pre-heating required. The Ready2Cook function uses a powerful convection system to quickly reach the right temperature, and completely eliminate the need for pre-heating.



Forced Air

Seal in the taste. Thanks to the Forced Air technology, preheated air is circulated inside your Oven using an innovative convection system, giving you moist, juicy cooking results.



Smart clean

Effortless, eco-friendly cleaning. The innovative SmartClean technology cleans your oven thoroughly and efficiently in just 30 minutes, without the use of detergents. Simply add 200cc of water to the oven cavity, run the SmartClean cycle, then wipe with a dry cloth.

W7 OM5 4 H

12NC: 859991538920

GTIN (EAN) code: 8003437834387



SENSING THE DIFFERENCE

Construction typeBuilt-inType of controlElectronicType of control settings-Are any hobs controls integrated?NoWhich kind of hobs can be controlled?-Automatic programmesYesCurrent (A)16Voltage (V)220-240Frequency (Hz)50/60Length of Electrical Supply Cord (cm)90Plug typeNoDepth with open door 90 degree (mm)-Height of the product595Width of the product595Depth of the product564Minimum niche height0Miche depth0Niche depth0Niche depth0Net weight (kg)40.5Usable volume (of cavity)73Integrated Cleaning systemHydrolyticGrids of the cavity2	MAIN FEATURES		
Main colour of product Inox Construction type Built-in Type of control Electronic Type of control settings - Are any hobs controls integrated? No Which kind of hobs can be controlled? - Automatic programmes Yes Current (A) 16 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 90 Plug type No Depth with open door 90 degree (mm) - Height of the product 595 Width of the product 595 Width of the product 564 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 40.5 Usable volume (of cavity) 73 Integrated Cleaning system Hydrolytic Grids of the cavity 2	Product group	Oven	
Construction typeBuilt-inType of controlElectronicType of control settings-Are any hobs controls integrated?NoWhich kind of hobs can be controlled?-Automatic programmesYesCurrent (A)16Voltage (V)220-240Frequency (Hz)50/60Length of Electrical Supply Cord (cm)90Plug typeNoDepth with open door 90 degree (mm)-Height of the product595Width of the product595Depth of the product564Minimum niche height0Miche depth0Niche depth0Niche depth0Net weight (kg)40.5Usable volume (of cavity)73Integrated Cleaning systemHydrolyticGrids of the cavity2	Commercial code	W7 OM5 4 H	
Type of control Settings - Care any hobs controls integrated? No Which kind of hobs can be controlled? No Yes Automatic programmes Yes Current (A) 16 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 90 Plug type No Depth with open door 90 degree (mm) - Care the product 595 Width of the product 595 Width of the product 595 Depth of the product 595 Depth of the product 596 Minimum niche height 0 Ninimum niche height 0 Ninimum niche width 0 Niche depth 0 Ninimum niche width 0 Niche depth 0 Ninimum of cavity) 73 Integrated Cleaning system Hydrolytic Grids of the cavity 2	Main colour of product	Inox	
Type of control settings - Are any hobs controls integrated? No Which kind of hobs can be controlled? - Automatic programmes Yes Current (A) 16 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 90 Plug type No Depth with open door 90 degree (mm) - Height of the product 595 Width of the product 595 Depth of the product 564 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 40.5 Usable volume (of cavity) 73 Integrated Cleaning system Hydrolytic Grids of the cavity 2	Construction type	Built-in	
Are any hobs controls integrated? Which kind of hobs can be controlled? Automatic programmes Current (A) Voltage (V) Frequency (Hz) Length of Electrical Supply Cord (cm) Plug type No Depth with open door 90 degree (mm) Height of the product Sp5 Width of the product Sp5 Width of the product Sp5 Width of the product Minimum niche height Minimum niche height No No No No No No No No No N	Type of control	Electronic	
Which kind of hobs can be controlled? - Automatic programmes Yes Current (A) 16 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 90 Plug type No Depth with open door 90 degree (mm) - Height of the product 595 Width of the product 595 Depth of the product 564 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 40.5 Usable volume (of cavity) 73 Integrated Cleaning system Hydrolytic Grids of the cavity 2	Type of control settings	-	
Automatic programmes Yes Current (A) 16 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 90 Plug type No Depth with open door 90 degree (mm) - Height of the product 595 Width of the product 595 Depth of the product 564 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 40.5 Usable volume (of cavity) 73 Integrated Cleaning system Hydrolytic Grids of the cavity 2	Are any hobs controls integrated?	No	
Current (A) 16 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 90 Plug type No Depth with open door 90 degree (mm) - Height of the product 595 Width of the product 595 Depth of the product 564 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 40.5 Usable volume (of cavity) 73 Integrated Cleaning system Hydrolytic Grids of the cavity 2	Which kind of hobs can be controlled?	-	
Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 90 Plug type No Depth with open door 90 degree (mm) - Height of the product 595 Width of the product 595 Depth of the product 564 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 40.5 Usable volume (of cavity) 73 Integrated Cleaning system Hydrolytic Grids of the cavity 2	Automatic programmes	Yes	
Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 90 Plug type No Depth with open door 90 degree (mm) - Height of the product 595 Width of the product 595 Depth of the product 564 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 40.5 Usable volume (of cavity) 73 Integrated Cleaning system Hydrolytic Grids of the cavity 2	Current (A)	16	
Length of Electrical Supply Cord (cm)90Plug typeNoDepth with open door 90 degree (mm)-Height of the product595Width of the product595Depth of the product564Minimum niche height0Minimum niche width0Niche depth0Net weight (kg)40.5Usable volume (of cavity)73Integrated Cleaning systemHydrolyticGrids of the cavity2	Voltage (V)	220-240	
Plug typeNoDepth with open door 90 degree (mm)-Height of the product595Width of the product595Depth of the product564Minimum niche height0Minimum niche width0Niche depth0Net weight (kg)40.5Usable volume (of cavity)73Integrated Cleaning systemHydrolyticGrids of the cavity2	Frequency (Hz)	50/60	
Depth with open door 90 degree (mm) Height of the product Width of the product Depth of the product Septimary of the product Minimum niche height Minimum niche width Niche depth Net weight (kg) Usable volume (of cavity) Integrated Cleaning system Grids of the cavity	Length of Electrical Supply Cord (cm)	90	
Height of the product 595 Width of the product 595 Depth of the product 564 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 40.5 Usable volume (of cavity) 73 Integrated Cleaning system Hydrolytic Grids of the cavity 2	Plug type	No	
Width of the product 595 Depth of the product 564 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 40.5 Usable volume (of cavity) 73 Integrated Cleaning system Hydrolytic Grids of the cavity 2	Depth with open door 90 degree (mm)	-	
Depth of the product 564 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 40.5 Usable volume (of cavity) 73 Integrated Cleaning system Hydrolytic Grids of the cavity 2	Height of the product	595	
Minimum niche height Minimum niche width O Niche depth Net weight (kg) Usable volume (of cavity) Integrated Cleaning system Grids of the cavity 2	Width of the product	595	
Minimum niche width 0 Niche depth 0 Net weight (kg) 40.5 Usable volume (of cavity) 73 Integrated Cleaning system Hydrolytic Grids of the cavity 2	Depth of the product	564	
Niche depth 0 Net weight (kg) 40.5 Usable volume (of cavity) 73 Integrated Cleaning system Hydrolytic Grids of the cavity 2	Minimum niche height	0	
Net weight (kg) 40.5 Usable volume (of cavity) 73 Integrated Cleaning system Hydrolytic Grids of the cavity 2	Minimum niche width	0	
Usable volume (of cavity) 73 Integrated Cleaning system Hydrolytic Grids of the cavity 2	Niche depth	0	
Integrated Cleaning system Hydrolytic Grids of the cavity 2	Net weight (kg)	40.5	
Grids of the cavity 2	Usable volume (of cavity)	73	
·	Integrated Cleaning system	Hydrolytic	
Trays 2	Grids of the cavity	2	
	Trays	2	

TECHNICAL FEATURES	
Timer	-
Time control	Electronic
Time-setting options	Start and Stop
Safety device	-
Interior light	Yes
Number of interior lights of the cavity	1
Position of interior lights of the cavity	Rear
Oven guides of the cavity	Grids
Probe of the cavity	No

PERFORMANCES	
Energy input	Electric
Type of energy of the cavity	Electricity
Energy efficiency class - NEW (2010/30/EU)	A+
Energy consumption per cycle conventional - NEW (2010/30/EU)	0.91
Energy consumption per cycle forced air convection - NEW (2010/30/EU)	0.70

